



**t.m. thakore
pharmaceutical
laboratories**

PRODUCT LIST 2024

Tablets



Uncoated, Film-Coated Bilayered Tablets Kit packs

Sizes of the punches

3 mm , 6mm, 6.5mm,7.6mm, 8mm, 9.6mm, 10mm, 10.2mm, 11mm, 12.7mm, 15.5mm, 16mm, 19mm, 22mm.

Shape of tablets

Capsule , Standard Round , Star , Heart (if required),

DOMPERIDONE MALEATE & NAPROXEN SODIUM TABLETS

Composition:

Each film-coated tablet contains

Naproxen sodium U.S.P.

eq. to Naproxen 250 mg

Domperidone Maleate I.P.

eq. to Domperidone 10 mg

Excipients q.s.

Colour - Red oxide of iron.

DOMPERIDONE MALEATE & NAPROXEN SODIUM TABLETS

Composition:

Each film-coated tablet contains

Naproxen sodium U.S.P.

eq. to Naproxen 500 mg

Domperidone Maleate I.P.

eq. to Domperidone 10 mg

Excipients q.s.

Colour: Red oxide of iron.

Ointment /Cream/lotion



Lotions/gels/ointments/creams / medicated shampoo

The can be used for the delivery to the skin of medications such as:

- Antibiotics
- Antiseptics
- Antifungals
- Anti-acne agents
- Anti Dandruff
- Skin Cleansing
- Scalp Solution
- Tinctures

Pack sizes:

Gels/ ointments/ creams/ range 5 gms to50 gms in Laminated and aluminum tubes.

Lotions/ medicated shampoo - 30 ml to 200 ml in PET/HDPE/ bottle.

COALTAR USP 6 % W/W & SALICYLIC ACID 3 % W/W OINTMENT

COMPOSITION

COALTAR USP 6 % W/W

SALICYLIC ACID I P 3 % W/W

OINTMENT BASE Q S

UREA, LACTIC ACID, PROPYLENE GLYCOL, & LIGHT LIQUID PARAFFIN CREAM

COMPOSITION

UREA I P 10 % W/W

LACTIC ACID, I P 10 % W/W

PROPYLENE GLYCOL I P 10 % W/W

LIGHT LIQUID PARAFFIN I P 10 % W/W

CREAM BASE Q.S.

Liquid Orals



Liquid Orals Syrups

100ml - 500ml in pet /glass bottles

CICLOPIROX OLAMINE GEL (For External use only)

Composition:

Each gm Contains:

Ciclopirox Olamine U.S.P. 1% w/w

Gel Base q.s.

CICLOPIROX OLAMINE CREAM U.S.P. (For External use only)

Composition:

Each gm Contains:

Ciclopirox Olamine U.S.P. 1% w/w

Cream Base q.s.

PARAMOXINE HYDROCHLORIC CREAM USP /-

Paramoxine Hydrochloric USP (1 % w/v)

(In House)(-Qs)

ZINC OXIDE CREAM 15 % W/W /-

Zinc Oxide IP (15% W/W)
Water in oil emulsified base (In House) (-Qs)

CICLOPIROX OLAMINE LOTION 1 % W/W

COMPOSITION
CICLOPIROX OLAMINE USP 1 % W/W (EQVT. TO CICLOPIROX 0.77 % W/W)
LOTIOB BASE QS

COALTAR SOLUTION B P 4 % W/V & KETOCONAZOLE I P 2 % W/V LOTION

COMPOSITION
COALTAR SOLUTION B P 4 % W/V
KETOCONAZOLE I P 2 % W/V
LOTION BASE Q S

CICLOPIROX OLAMINE TOPICAL SOLUTION U.S.P. (For External use only)

Composition:
Ciclopirox Olamine U.S.P 8% w/v

Disinfectants



Peracetic Acid

composition:
Hydrogen Peroxide 22.0% w/w
Peracetic Acid 4.5% w/w
Inert Ingredients 73.5%
(including acetic acid 9.0% w/w)

Isopropyl alcohol 70% solution

composition:
Isopropyl Alcohol I.P 70% w/w
water for injection I.P. 30% v/v

IPA(Sterile)

(Complete range of hygiene solution under one roof) 100 ml –1 liter in HDPE bottle and bulk packing

CHLORHEXIDINE GLUCONATE DISINFECTANT SOLUTION I.P. 2.5 % V/V ETHYL ALCOHOL I.P. 70 % V/V/-

COMPOSITION:
CHLORHEXIDINE GLUCONATE SOLUTION IP 2.5 %V/V [(EQ.
TO CHLORHEXIDINE GLUCONATE 0.5 W/V) (-)
- ETHYL ALCOHOL IP (70 % V/V)
- CARMOISINE (In House) (-) ----- (-QS)

ORTHO-PHTHALADEHYDE DISINFECTANT SOLUTION

Composition:
Ortho-phthaladehyde 0.55% w/w
Colour- Alizarin cyanine green F.

External Topical Solutions



Hair regrowth products

Pack Size: 60 ml – 200 ml in pet bottles

MINOXIDIL, TRETINOIN & AZELAIC ACID TOPICAL SOLUTION (For External use only)

Composition:

Minoxidil I.P = 2 % w/v
Tretinoin USP = 0.010 % w/v
Azelaic Acid = 1.5 % w/v
Alcohol (95%) I.P = 65 %v/v

MINOXIDIL, TRETINOIN & AZELAIC ACID TOPICAL SOLUTION

Composition:

Minoxidil I.P. = 5 % w/v
Tretinoin USP = 0.010 % w/v
Azelaic acid I.P. = 1.5 % w/v
Alcohol (95%) I.P. = 38 % v/v

MINOXIDIL TOPICAL SOLUTION USP 7.5% (For External use only)

Composition:

Each ml contains:
Minoxidil I.P = 75mg
Alcohol (95 %) I.P. = 40 % v/v

MINOXIDIL TOPICAL SOLUTION USP 2 % (For External use only)

Composition:

Each ml contains:

Minoxidil I.P = 20 mg

Alcohol (95 %) I.P. = 40% v/v

MINOXIDIL TOPICAL SOLUTION U.S.P. 10% (For External use only)

Composition:

Each ml Contains:

Minoxidil I.P. = 100 mg

Alcohol (95%) I.P = 40 % v/v

MINOXIDIL TOPICAL SOLUTION USP 5% (For External use only)

Composition:

Each ml contains:

Minoxidil I.P = 50 mg

Alcohol (95 %) I.P. = 40 % v/v

MINOXIDIL, TRETINOIN, HYDROCORTISONE, SOLUTION (For External use only)

Composition:

Minoxidil I.P. = 5 % w/v

Tretinoin USP = 0.025 % w/v

Hydrocortisone I.P = 0.01 % w/v

Alcohol (95%) I.P. = 65% v/v

MINOXIDIL, TRETINOION, HYDROCORTISONE LOTION (For External use only)

Composition:

Minoxidil I.P. = 12.5 % w/w
Tretinoion U.S.P. = 0.025 % w/w
Hydrocortisone U.S.P. = 0.01 % w/w
Alcohol (95%) I.P. = 40 % v/v

MINOXIDIL, TRETINOION, AZELAIC ACID, SOLUTION (For External use only)

Composition:

Minoxidil I.P. = 2 % w/v
Tretinoion U.S.P. = 0.025 % w/v
Azelaic acid I.P. = 1.5 % w/v
Alcohol (95%) I.P. = 65 % v/v

MINOXIDIL TOPICAL SOLUTION U.S.P. 2% (For External use only)

Composition:

Each ml Contains:
Minoxidil I.P. = 20 mg
Alcohol (95%) I.P. = 65 % v/v

MINOXIDIL TOPICAL SOLUTION U.S.P. 5% (For External use only)

Composition:

Each ml Contains:
Minoxidil U.S.P. = 50 mg
Alcohol (95%) I.P. = 38 % v/v

MINOXIDIL, TRETINOIN & AZELAIC ACID TOPICAL SOLUTION

Composition:

Minoxidil I.P = 5% w/v
Tretinoin USP = 0.010% w/v
Azelaic acid I.P. = 1.5% w/v
Alcohol (95%) I.P = 38 % v/v

MINOXIDIL TOPICAL SOLUTION U.S.P. 10% (For External use only)

Composition

Each ml Contains:

Minoxidil I.P. = 100 mg
Alcohol (95%) I.P = 40 % v/v

MINOXIDIL TOPICAL SOLUTION USP 10 % / (with adhesive base)

Composition:

Minoxidil IP (10 % w/v)
Ethyl Alcohol IP (40 % v/v)
Aminexil in adhesive base (In House) (-QS)

MINOXIDIL TOPICAL SOLUTION USP 2 % / (with adhesive base)

Composition:

Minoxidil IP (2 % w/v)
Ethyl Alcohol IP (63 % v/v)
Aminexil in adhesive base (In House) (-QS)

MINOXIDIL TOPICAL SOLUTION USP 5 % / (with adhesive base)

Composition:

Minoxidil IP (5 % w/v)
Ethyl Alcohol IP (40 % v/v)
Aminexil in adhesive base (In House) (-QS)

MINOXIDIL TOPICAL SOLUTION USP 5 % (WITH AUXINA TRICOGENA)

Composition:

Minoxidil IP (5 % w/v)
Ethyl Alcohol IP (38 % v/v)
Auxina Tricogena in adhesive base (-QS)

MINOXIDIL 10 % & FINASTERIDE 0.1 % TOPICAL SOLUTION (WITH ANAGAIN,CAPIXYL,TRANSCUTOL P)

Composition:

Minoxidil I.P. (10 % w/v)
Finasteride I.P. 0.1% w/v)
Ethyl Alcohol I.P. (-)
Propylene Glycol I.P. (-)
Anagain (In House) (-)
Capixyl (In House) (-)
Transcutol P (In House) (-)

MINOXIDIL 5 % & FINASTERIDE 0.1 % TOPICAL SOLUTION (WITH ANAGAIN, CAPIXYL,TRANSCUTOL P)

Composition:

Minoxidil I.P. (5 % w/v)
Finasteride I.P. 0.1% w/v)
Ethyl Alcohol I.P (-)
Propylene Glycol I.P. (-)
Anagain (In House) (-)
Capixyl (In House) (-)
Transcutol P (In House) (-)

MINOXIDIL TOPICAL SOLUTION USP 10 % W/V (WITH PROCAPIL)

Composition:

Minoxidil I.P. 10 % w/v
Ethyl Alcohol I.P. (-)
Propylene Glycol (-)
Butylene Glycol (-)
PPG-26 Buteth-26 (-)
PEG-40 Hydrogenated Castor Oil (-)
Apigenin (-)
Oleanolic Acid (-)
Water (Aqua) (-)
Biotinoy Tripeptide – 1 (-)

MINOXIDIL TOPICAL SOLUTION USP 5 % W/V (WITH PROCAPIL)

Composition:

Minoxidil I.P. 5 % w/v
Ethyl Alcohol I.P. (-)
Propylene Glycol (-)
Butylene Glycol (-)
PPG-26 Buteth-26 (-)
PEG-40 Hydrogenated Castor Oil (-)
Apigenin (-)
Oleanolic Acid (-)
Water (Aqua) (-)
Biotinoy Tripeptide – 1 (-)

Minoxidil 5 % & Finasteride 0.1 % Topical Solution

Composition:

Minoxidil I P5 % w/v
Finasteride IP.....0.1 % w/v
Isopropyl Alcohol IP36 % v/v
WaterQS

Minoxidil 10 % & Finasteride 0.1 % Topical Solution

Composition:

Minoxidil I P10 % w/v
Finasteride IP.....0.1 % w/v
Isopropyl Alcohol IP32 % v/v
WaterQS

Minoxidil 5 % Finasteride 0.1 % Topical Solution (WITH ANAGAIN,PROCAPIL,TRANSCUTOL P)

Composition:

Minoxidil I P (5 % W/V)
Finasteride I P (0.1 % W/V)
Anagain
Transcutol P
Ethyl Alcohol I P
Propylene Glycol I P
Butylene Glycol
PPG 26 Butech
Peg 40 Hydrogenated Castor Oil
Apigenin
Oleanolic Acid
Biotinoyl Tripeptide-1
Water (Aqua)

Minoxidil 5 % & Finasteride 0.1 % Topical Solution

Composition:

Minoxidil I P5 % w/v
Finasteride IP.....0.1 % w/v
BASEQS

Minoxidil 10 % & Finasteride 0.1 % Topical Solution

Composition:

Minoxidil I P10 % w/v
Finasteride IP.....0.1 % w/v
BASEQS

MINOXIDIL TOPICAL SOLUTION USP 5 % (ALCOHOL FREE)

Composition:

MINOXIDIL I P 5 % W/V
BASE Q.S.

MINOXIDIL TOPICAL SOLUTION USP 10% (ALCOHOL FREE)

Composition:

MINOXIDIL I P 10 % W/V
BASE Q.S.

Benzyl Nicotinate, Vitamin K, Salicylic Acid, Hair Tincture (For External use only)

Composition:

Benzyl Nicotinate 0.2 %
Vitamin K 0.2 % Salicylic Acid I.P. 0.1 %
Alcohol I.P. (95 %) 61 % V/ V
Coloured: Tartrazine

CICLOPIROX 1% SHAMPOO (For External use only)

Composition:

Each gm contains:
Ciclopirox 10mg
Conditioner Base q.s.

COALTAR & SALICYLIC ACID SCALP SOLUTION (For External use only)

Composition:

Coaltar Topical Solution USP 4.25%w/w
Salicylic Acid I.P. 2% w/w
Preservative –
Benzalkonium chloride solution (50 % w/w) I.P. 0.40 % w/w
In aqueous. Base q.s

Coal Tar Topical Solution USP

Composition:

Colour: Amber Coloured Solution
Alcohol: Min 81%, Max 86%
Coal Tar Content (Total Solids (IHS)): 9% to 11%.

DATASHEET - [CLICK HERE TO DOWNLOAD](#)



Sanitizer (hand rub)



CHLORHEXIDINE GLUCONATE SOLUTION I.P. 2.5 % V/V (EQEV. TO CHLORHEXIDINE GLUCONATE 0.5 % W/V), CETRIMIDE I.P. 0.2 % W/V & ETHANOL (DENATURED WITH 1 % DIETHYL PHTHALATE) 70 % V/V HAND RUB

COMPOSITION

CHLORHEXIDINE GLUCONATE SOLUTION I.P. 2.5 % V/V
(EQEV. TO CHLORHEXIDINE GLUCONATE 0.5 % W/V),
CETRIMIDE I.P. 0.2 % W/V
ETHANOL (DENATURED WITH 1 % DIETHYL PHTHALATE) 70 % V/V

CHLORHEXIDINE GLUCONATE, CETRIMIDE & ISOPROPYL ALCOHOL ANTISEPTIC LIQUID (For External use only)

Composition:

Chlorhexidine Gluconate Solution I.P. 7.5 % v/v
Cetrimide I.P. 15 % w/v
Isopropyl Alcohol I.P. 7 % v/v
Colour: Tartrazine

CHLORHEXIDINE GLUCONATE, CETRIMIDE & ISOPROPYL ALCOHOL ANTISEPTIC LIQUID (For External use only)

Each ml Contains

Chlorhexidine Gluconate Solution I.P. 0.3%v/v
Cetrimide I.P. 0.6 % w/v
Isopropyl Alcohol I.P. 3.0% v/v
Colour: - Tartrazine

2-PROPANOL & 1-PROPANOL SOLUTION (For External Use Only)

Composition:

Each 100 gms contains:
2-propanol I.P. : 45 gms
1-propanol : 30 gms
Ethyl-hexadecyl-dimethyl
Ammonium-ethylsulphate : 0.2 gms
(Mecetronium Ethyl Sulphate)
Colour- Brilliant Blue FCF

CHLORHEXIDINE & ALCOHOL SKIN DISINFECTANT (For External use only)

Composition:

Each 100 ml solution contains:
Chlorhexidine Gluconate Solution I.P.
Equivalent to Chlorhexidine Gluconate 2% w/v
Ethanol I.P. 80% v/v

Alcoholic based hand sanitizer

100 ml to 500 ml in packed in HDPE bottles

External Topical antifungal anti-itch Solution



SALICYLIC ACID I P 17 % W/V % LACTIC ACID 17 % W/V SOLUTION

COMPOSITION

SALICYLIC ACID I P 17 % W/V
LACTIC ACID 17 I P 17 % W/V
ALCOHOL I P ...Q.S.

SALICYLIC ACID & LACTIC ACID SOLUTION (For External use only)

Composition:

Salicylic Acid B.P. 16.7 % w/v
Lactic Acid B.P. 16.7 % w/v
Base q.s

Pramoxine Hydrochloride cream U S P 1 % W/V (WITH TAZMAN PEPPER AF)

Composition:

Pramoxine Hydrochloride US P (1 % W/V)
Cetostearyl Alcohol I P
Propylene Glycol I P
Light Liquid Paraffin
Tazman Pepper AF
Calamine
Simethicone 100 % I P

COALTAR 1% MEDICATED SHAMPOO

Composition:
Coaltar USP 1% w/v

CICLOPIROXOLAMINE LIQUID 1.5% W/W

Composition:
Ciclopiroxolamine USP (1.5% w/w)
(In House) (QS)

COALTAR & SALICYLIC ACID SCALP SOLUTION (FOAM SHAMPOO)

Composition:
Coaltar Topical Solution USP 4.25%w/w
Salicylic Acid I.P. 2% w/w
Preservative –
Benzalkonium chloride solution (50 % w/w) I.P. 0.40 % w/w
In aqueous. Base q.s


CICLOPIROX 1% SHAMPOO (For External use only)

Composition:
Each gm contains:
Ciclopirox 10mg
Conditioner Base q.s.

COALTAR & SALICYLIC ACID SCALP SOLUTION (For External use only)

Composition:
Coaltar Topical Solution USP 4.25%w/w
Salicylic Acid I.P. 2% w/w
Preservative –
Benzalkonium chloride solution (50 % w/w) I.P. 0.40 % w/w
In aqueous. Base q.s

Defogger / Floor Cleaner



HYDROGEN PEROXIDE WITH SILVER NITRATE SOLUTION (For External use only)

Composition:
Complex Formulation of Stabilized
Hydrogen Peroxide 11% w/v with
0.01% w/v Diluted Silver Nitrate Solution

Antiseptic Hand scrub/body wash



CHLORHEXIDINE GLUCONATE SOLUTION (For External use only)

Composition:
Chlorhexidine Gluconate Solution I.P
Equiv. to Chlorhexidine Gluconate 4 % w/v
Aqueous base q.s
Colour- Ponceau 4R

CHLORHEXIDINE & ALCOHOL SKIN (For External use only)

Composition:
Chlorhexidine Gluconate Solution I.P
Equiv. to Chlorhexidine Gluconate 4 % w/v
Ethyl Alcohol I.P 2 % v/v
Excipients Q.S

CHLORHEXIDINE GLUCONATE , 1-PROPANOL & ETHANOL SOLUTION [chlorhexidine skin cleanser for hand & body wash]

Composition:
chlorhexidine gluconate solution IP e.q to chlorhexidine gluconate 4.0%w/v
1-propanol IP 4.0%w/v
Ethanol IP 4.0%v/v

ETHANOL, 2- PROPANOL & 1- PROPANOL SOLUTION

Composition:

Each 100gms contains:

Ethanol I.P 10.0gms

2- Propanol I.P 9.0 gms (For External Use Only)

1- Propanol 6.0 gms

Aqueous base q.s.

CHLORHEXIDINE GLUCONATE & ALCOHOL SKIN ANTISEPTIC (For External use only)

Composition:

Chlorhexidine Gluconate Solution I.P 2.5% v/v

Equivalent to Chlorhexidine Gluconate 0.5 % w/v

Ethyl Alcohol I.P. 70% v/v

Colour: Carmoisine

Mouthwash



BENZOXONIUM CHLORIDE AND LIDOCAINE HYDROCHLORIDE MOUTHWASH

Composition:

Each 5 ml contains:

Benzoxonium Chloride 2.5 mg

Lidocaine Hydrochloride I.P. 2.5 mg

Alcohol (95%) I.P. 10% v/v

Aqueous base q.s.

Colour: Brilliant Blue FCF

Coal Tar Topical Solution USP



Coal Tar Topical Solution USP

Coal tar belongs to a class of drugs known as keratoplastics. It works by causing the skin to shed dead cells from its top layer and slow down the growth of skin cells. This effect decreases scaling and dryness.

This medication is used on the hair/scalp to treat dandruff and other scaly, itchy skin conditions (psoriasis or seborrheic dermatitis). Coal tar belongs to a class of drugs known as keratoplastics. It works by causing the skin to shed dead cells from its top layer and slow down the growth of skin cells. This effect decreases scaling and dryness. Coal tar can also decrease itchiness from these skin conditions.

WATER-TAR™ [WATER SOLUBLE COAL TAR]



Description: Amber Colour Clear Liquid

Solubility In Water: Clear Soluble

WATER-TAR™ [WATER SOLUBLE COAL TAR] Coal Tar Content: 20% - 25%

Helps control seborrheic dermatitis, psoriasis, dandruff. For the relief of symptoms associated with psoriasis and seborrheic dermatitis, including itching, scaling, flaking, redness and irritation of skin. Helps prevent recurrence.

This can be used in shampoos incorporating.

Ketoconazole: 2% OR

Salicylic Acid: 2%

Also can be used in Gels & Ointments

Water Soluble Coal Tar + Ketoconazole Combination

This is a combination of two medicines: Ketoconazole and Coal Tar which treat dandruff. Ketoconazole is an antifungal. It works by stopping the growth of dandruff causing fungi by preventing them from forming their own protective covering. Coal Tar is a keratolytic medicine which helps break down the skin clumps on scalp and relieves itching and flaking associated with dandruff.

Water Soluble Coal Tar + Salicylic Acid Combination

Coal tar USP & salicylic acid contains Coal Tar and Salicylic Acid as active ingredients. Coal tar & salicylic acid works by possessing the keratolytic and comedolytic properties; peeling on the skin lipid film in acne; removing the intercellular lipids which are linked covalently to the cornfield envelope surrounding the surface epithelial cells; treating psoriasis.

Packaging Details: 180 KG & 30KG IN UN CERTIFIED HDPE DRUMS

- Coal Tar Topical Solution USP
- WATER-TAR™ [WATER SOLUBLE COAL TAR]

