

Saccharomyces cerevisiae

IDENTIFICATION

Name

Saccharomyces cerevisiae

Accession Number

DB10447

Type

Biotech

Groups

Approved

Biologic Classification

Allergenics

Allergen Extract

Description

Saccharomyces cerevisiae is a fungus which can provoke allergic reactions. Saccharomyces cerevisiae is used in allergenic testing.

Synonyms

Not Available

Prescription Products

Search

NAME	DOSAGE	STRENGTH	ROUTE	LABELLER	MARKETING START	MARKETING END			
Bakers Yeast	Injection, solution	0.05 g/1mL	Intradermal; Subcutaneous	Antigen Laboratories, Inc.	1974-03-23	Not applicable			
Brewers Yeast	Injection, solution	0.1 g/1mL	Intradermal; Subcutaneous	Nelco Laboratories, Inc.	1972-08-29	Not applicable			




Brewers Yeast	Injection, solution	0.05 g/1mL	Intradermal; Subcutaneous	Inc. Nelco Laboratories, Inc.	1972-08-29	Not applicable	
Brewers Yeast	Injection, solution	0.05 g/1mL	Intradermal; Subcutaneous	Nelco Laboratories, Inc.	1972-08-29	Not applicable	
Brewers Yeast	Injection, solution	0.1 g/1mL	Intradermal; Subcutaneous	Nelco Laboratories, Inc.	1972-08-29	Not applicable	
Saccharomyces	Injection, solution	0.05 g/1mL	Intradermal; Subcutaneous	Antigen Laboratories, Inc.	1974-03-23	Not applicable	
Saccharomyces cerevisiae	Injection, solution	10000 [PNU]/1mL	Intradermal; Subcutaneous	Nelco Laboratories, Inc.	1972-08-29	Not applicable	
Saccharomyces cerevisiae	Injection, solution	20000 [PNU]/1mL	Intradermal; Subcutaneous	Nelco Laboratories, Inc.	1972-08-29	Not applicable	
Saccharomyces cerevisiae	Injection, solution	0.05 g/1mL	Intradermal; Subcutaneous	Nelco Laboratories, Inc.	1972-08-29	Not applicable	

Showing 1 to 10 of 21 entries


< >

Mixture Products


NAME	INGREDIENTS	DOSAGE	ROUTE	LABELLER	MARKETING START	MARKETING END			
A Mold Mixture	Saccharomyces cerevisiae (0.0067 g/1mL) + Aspergillus flavus (0.0017 g/1mL) + Aspergillus fumigatus (0.0017 g/1mL) + Aspergillus niger var. niger (0.0017 g/1mL) + Aspergillus repens (0.0017 g/1mL) + Aureobasidium pullulans var.	Injection, solution	Intradermal; Subcutaneous	Antigen Laboratories, Inc.	1992-04-13	Not applicable			



+ [Botrytis cinerea](#) (0.0067 g/1mL) +
[Candida tropicalis](#) (0.0033 g/1mL)
+ [Chaetomium globosum](#) (0.0067 g/1mL)
+ [Cochliobolus sativus](#) (0.0067 g/1mL) +
[Epicoccum nigrum](#) (0.0067 g/1mL) +
[Fusarium oxysporum](#) (0.0067 g/1mL)
+ [Geotrichum candidum](#) (0.0067 g/1mL)
+ [Mucor plumbeus](#) (0.0022 g/1mL)
+ [Mucor racemosus](#) (0.0022 g/1mL)
+ [Neurospora intermedia](#) (0.0033 g/1mL)
+ [Penicillium camemberti](#) (0.0011 g/1mL)
+ [Penicillium chrysogenum](#) var. [chrysogenum](#) (0.0011 g/1mL)
+ [Penicillium chrysogenum](#) var. [chrysogenum](#) (0.0011 g/1mL)
+ [Penicillium expansum](#) (0.0011 g/1mL)
+ [Penicillium italicum](#) (0.0011 g/1mL) +
[Penicillium roqueforti](#) (0.0011 g/1mL)
+ [Phoma](#)




	<p>+ Rhizopus stolonifer (0.0067 g/1mL)</p> <p>+ Rhizopus stolonifer (0.0022 g/1mL)</p> <p>+ Rhodotorula rubra (0.0067 g/1mL)</p>							
A Mold Mixture	<p>Saccharomyces cerevisiae (0.0017 g/1mL)</p> <p>+ Aspergillus flavus (0.0004 g/1mL) +</p> <p>Aspergillus fumigatus (0.0004 g/1mL)</p> <p>+ Aspergillus niger var. niger (0.0004 g/1mL)</p> <p>+ Aspergillus repens (0.0004 g/1mL) +</p> <p>Aureobasidium pullulans var. pullulans (0.0017 g/1mL)</p> <p>+ Botrytis cinerea (0.0017 g/1mL) +</p> <p>Candida tropicalis (0.0008 g/1mL)</p> <p>+ Chaetomium globosum (0.0017 g/1mL)</p> <p>+ Cochliobolus sativus (0.0017 g/1mL) +</p> <p>Epicoccum nigrum (0.0017 g/1mL) +</p> <p>Fusarium oxysporum (0.0017 g/1mL)</p> <p>+ Geotrichum candidum (0.0017 g/1mL)</p> <p>+ Mucor plumbeus (0.0006 g/1mL)</p> <p>+ Mucor</p>	Injection, solution	Intradermal; Subcutaneous	Antigen Laboratories, Inc.	1974-03-23	Not applicable		




	<p>+ Neurospora intermedia (0.0008 g/1mL)</p> <p>+ Penicillium camemberti (0.0003 g/1mL)</p> <p>+ Penicillium chrysogenum var. chrysogenum (0.0003 g/1mL)</p> <p>+ Penicillium chrysogenum var. chrysogenum (0.0003 g/1mL)</p> <p>+ Penicillium expansum (0.0003 g/1mL)</p> <p>+ Penicillium italicum (0.0003 g/1mL) + Penicillium roqueforti (0.0003 g/1mL)</p> <p>+ Phoma destructiva (0.0017 g/1mL)</p> <p>+ Rhizopus stolonifer (0.0017 g/1mL)</p> <p>+ Rhizopus stolonifer (0.0006 g/1mL)</p> <p>+ Rhodotorula rubra (0.0017 g/1mL)</p>							
A Mold Mixture	<p>Saccharomyces cerevisiae (0.0033 g/1mL)</p> <p>+ Aspergillus flavus (0.0008 g/1mL) + Aspergillus fumigatus (0.0008 g/1mL)</p> <p>+ Aspergillus niger var. niger (0.0008 g/1mL)</p> <p>+ Aspergillus repens (0.0008 g/1mL) + Aureobacidium</p>	Injection, solution	Intradermal; Subcutaneous	Antigen Laboratories, Inc.	1974-03-23	Not applicable		



(0.0033 g/1mL)
+ [Botrytis cinerea](#) (0.0033 g/1mL) +
[Candida tropicalis](#) (0.0017 g/1mL)
+ [Chaetomium globosum](#) (0.0033 g/1mL)
+ [Cochliobolus sativus](#) (0.0033 g/1mL) +
[Epicoccum nigrum](#) (0.0033 g/1mL) +
Fusarium oxysporum (0.0033 g/1mL)
+ [Geotrichum candidum](#) (0.0033 g/1mL)
+ [Mucor plumbeus](#) (0.0011 g/1mL)
+ [Mucor racemosus](#) (0.0011 g/1mL)
+ [Neurospora intermedia](#) (0.0017 g/1mL)
+ [Penicillium camemberti](#) (0.0006 g/1mL)
+ [Penicillium chrysogenum](#) var. [chrysogenum](#) (0.0006 g/1mL)
+ [Penicillium chrysogenum](#) var. [chrysogenum](#) (0.0006 g/1mL)
+ [Penicillium expansum](#) (0.0006 g/1mL)
+ [Penicillium italicum](#) (0.0006 g/1mL) +
[Penicillium roqueforti](#) (0.0006 g/1mL)




(0.0033 g/1mL) + Rhizopus stolonifer (0.0033 g/1mL) + Rhizopus stolonifer (0.0011 g/1mL) + Rhodotorula rubra (0.0033 g/1mL)								
--	--	--	--	--	--	--	--	--



Rinkel Mold Mix A	<p>Saccharomyces cerevisiae (0.067 g/20mL) + Aspergillus fumigatus (0.066 g/20mL) + Aureobasidium pullulans var. pullutans (0.067 g/20mL) + Botrytis cinerea (0.066 g/20mL) + Chaetomium globosum (0.066 g/20mL) + Cochliobolus sativus (0.067 g/20mL) + Epicoccum nigrum (0.066 g/20mL) + Fusarium oxysporum vasinfectum (0.066 g/20mL) + Geotrichum candidum (0.067 g/20mL) + Mucor plumbeus (0.067 g/20mL) + Neurospora sitophila (0.067 g/20mL) + Penicillium chrysogenum var. chrysogenum (0.067 g/20mL) + Phoma exigua var. exigua (0.067 g/20mL) + Rhizopus stolonifer (0.067 g/20mL) + Rhodotorula mucilaginosa (0.067 g/20mL)</p>	Injection, solution	Percutaneous; Subcutaneous	Allergy Laboratories, Inc.	1967-12-07	Not applicable		
----------------------------------	--	---------------------	----------------------------	----------------------------	------------	----------------	--	--

Showing 1 to 4 of 4 entries

< >



[Cell-mediated immunity](#)

[Dietary Proteins](#)

[Fungal Proteins](#)

[Increased Histamine Release](#)

[Increased IgG Production](#)

[Non-Standardized Food Allergenic Extract](#)

[Non-Standardized Fungal Allergenic Extract](#)

UNII

[978D8U419H](#)

CAS number

Not Available

PHARMACOLOGY

Indication

Not Available

Pharmacodynamics

Not Available

Mechanism of action

Not Available

Absorption

Not Available

Volume of distribution

Not Available

Protein binding


Not Available

Metabolism

Not Available

Route of elimination

Not Available

**Clearance**

Not Available

Toxicity

Not Available

Affected organisms

Not Available

Pathways

Not Available

Pharmacogenomic Effects/ADRs ⓘ

Not Available

INTERACTIONS

Drug Interactions ⓘ

Not Available

Food Interactions

Not Available

REFERENCES

General References

Not Available

External Links

PubChem Substance

[347910616](#)


Wikipedia

[Saccharomyces_cerevisiae](#)

CLINICAL TRIALS

Clinical Trials ⓘ

Not Available



Not Available

Packagers

Not Available

Dosage forms

Search

FORM	↕ ROUTE	↕ STRENGTH	↕
Injection, solution	Intradermal; Subcutaneous		
Injection, solution	Intradermal; Subcutaneous	0.05 g/1mL	
Injection, solution	Intradermal; Subcutaneous	0.1 g/1mL	
Injection, solution	Percutaneous; Subcutaneous		
Injection, solution	Intradermal	1000 [PNU]/1mL	
Injection, solution	Intradermal; Subcutaneous	10000 [PNU]/1mL	
Injection, solution	Intradermal; Subcutaneous	20000 [PNU]/1mL	
Injection, solution	Intradermal; Subcutaneous	40000 [PNU]/1mL	
Injection, solution	Percutaneous	0.05 g/1mL	
Injection, solution	Subcutaneous	10000 [PNU]/1mL	

Showing 1 to 10 of 12 entries

< >

Prices

Not Available

Patents

Not Available

PROPERTIES

State


Not Available

Experimental Properties

Not Available

TAXONOMY

Classification



About

[About DrugBank](#)

[DrugBank Blog](#)

[Wishart Research Group](#)

[Terms of Use](#)

[Privacy Policy](#)

Support

[FAQ](#)

[Help](#)

[Email Support](#)

Commercial Products

[API Pricing](#)

[API Docs](#)

[Data Licenses](#)

[Support](#)



This project is supported by the **Canadian Institutes of Health Research** (award #111062), **Alberta Innovates - Health Solutions**, and by **The Metabolomics Innovation Centre (TMIC)**, a nationally-funded research and core facility that supports a wide range of cutting-edge metabolomic studies. TMIC is funded by **Genome Alberta**, **Genome British Columbia**, and **Genome Canada**, a not-for-profit organization that is leading Canada's national genomics strategy with funding from the federal government. Maintenance, support, and commercial licensing is provided by **OMx Personal Health Analytics, Inc.** Designed by **Educe Design & Innovation Inc.**

